# **SAFETY DATA SHEET**

# 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Identification of the substance or mixture

Product name : Strawberry Air Charm

Code : FPBOW005

Product type : Solid.

Use of the substance/mixture : Air Freshener. Contained air freshener used in commercial air freshener systems

# 2. HAZARDS IDENTIFICATION

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : R52/53

Environmental hazards : Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

See section 11 for more detailed information on health effects and symptoms.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/preparation : Mixture

Ingredient name	CAS number	%	Number	Classification	ı
Dipropylene glycol monomethyl ether Sodium Stearate	34590-94-8 822-16-2	30 - 50 5 - 15	252-104-2 212-490-5	Not classified. Xi; R36/38	[2] [1]
cis-3-Hexenyl salicylate Diethyl malonate alpha-Methyl-3,4-methylene-dioxyhydrocinnamic	65405-77-8 105-53-3 1205-17-0	1 - 5 1 - 5 1 - 5	265-745-8 203-305-9 214-881-6	N; R51/53 Xi; R36 N; R51/53	[1] [1] [1]
aldehyde 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8- hexamethylindeno[5,6-c]pyran	1222-05-5	1 - 5	214-946-9	N; R50/53	[1]
(R)-p-mentha-1,8-diene	5989-27-5	0 - 1	227-813-5	R10 Xi; R38 R43 N; R50/53	[1]
See section 16 for the full text of the R-phrases declared above					

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] PBT-substance

[4] vPvB-substance

Occupational exposure limits, if available, are listed in section 8.

Date of issue/Date of revision : 03/02/2010.

# FIRST AID MEASURES

#### First-aid measures

Inhalation

: Move exposed person to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Ingestion

: Wash out mouth with water. Remove dentures if any. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Skin contact

: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

#### Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

#### **Protection of first-aiders**

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

#### Notes to physician

: No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

See section 11 for more detailed information on health effects and symptoms.

# FIRE-FIGHTING MEASURES

# Extinguishing media

Suitable

: Use an extinguishing agent suitable for the surrounding fire.

Not suitable

: None known.

Special exposure hazards

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. This material is harmful to aquatic organisms. Fire water contaminated with

this material must be contained and prevented from being discharged to any

waterway, sewer or drain.

: No specific fire or explosion hazard.

**Hazardous thermal** decomposition products : Decomposition products may include the following materials:

carbon dioxide carbon monoxide metal oxide/oxides

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# **ACCIDENTAL RELEASE MEASURES**

**Personal precautions** 

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).

**Environmental precautions** 

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material.

#### Methods for cleaning up

Small spill

: Avoid creating dusty conditions and prevent wind dispersal. Place spilt material in an appropriate container for disposal.

# 6. ACCIDENTAL RELEASE MEASURES

#### Large spill

: Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

# 7. HANDLING AND STORAGE

#### Handling

: Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

#### Storage

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

#### **Packaging materials**

**Recommended**: Use original container.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Ingredient name

### Occupational exposure limits

Dipropylene glycol monomethyl ether

EH40/2005 WELs (United Kingdom (UK), 8/2007). Absorbed through skin.

TWA: 308 mg/m<sup>3</sup> 8 hour(s). TWA: 50 ppm 8 hour(s).

# Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.

#### **Exposure controls**

# Occupational exposure controls

: No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

#### Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

#### Respiratory protection

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

#### Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

### Eye protection

 Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts

# Skin protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **General information**

**Appearance** 

Physical state : Solid.

Colour : Red. [Light]

Odour : Strawberry odour [Slight]

### 10. STABILITY AND REACTIVITY

Chemical stability

: The product is stable.

Possibility of hazardous

: Under normal conditions of storage and use, hazardous reactions will not occur.

reactions

: No specific data.

Conditions to avoid Materials to avoid

: No specific data.

Hazardous decomposition

: Under normal conditions of storage and use, hazardous decomposition products

products

should not be produced.

# 11. TOXICOLOGICAL INFORMATION

#### **Toxicokinetics**

Absorption : Not available.

**Distribution**: Contains material which causes damage to the following organs: upper respiratory

tract, central nervous system (CNS), eye, lens or cornea.

Metabolism: Not available.Elimination: Not available.

Potential acute health effects

Inhalation: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Eye contact: No known significant effects or critical hazards.

**Acute toxicity** 

Product/ingredient name	Result	Species	Dose	Exposure
Dipropylene glycol monomethyl ether	LD50 Dermal	Rabbit	10 mL/kg	-
	LD50 Oral	Rat	5.5 mL/kg	-
	LD50 Oral	Rat	5400 u <b>L/kg</b>	-
cis-3-Hexenyl salicylate	LD50 Dermal	Rabbit	>5 g/kg	-
	LD50 Oral	Rat	5 g/kg	2
Diethyl malonate	LD50 Dermal	Rabbit	>16 mL/kg	
	LD50 Oral	Rat	14900 uL/kg	-
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8- hexamethylindeno[5,6-c]pyran	LD Dermal	Rabbit	>3250 mg/kg	-
	LD50 Dermal	Rat	>5 g/kg	*
	LDLo Oral	Rat	3250 mg/kg	*
(R)-p-mentha-1,8-diene	LD50 Dermal	Rabbit	>5 g/kg	27
	LD50 Intraperitoneal	Rat	3600 mg/kg	-
	LD50 Intravenous	Rat	110 mg/kg	
	LD50 Oral	Rat	4400 mg/kg	•
	LDLo Subcutaneous	Rat	30200 mg/kg	ž.

Conclusion/Summary : Not available.

Potential chronic health effects

Date of issue/Date of revision : 03/02/2010. 4/8

# 11. TOXICOLOGICAL INFORMATION

**Chronic toxicity** 

Conclusion/Summary : Not available.

Irritation/Corrosion

Conclusion/Summary : Not available.

**Sensitiser** 

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

**Mutagenicity** 

Conclusion/Summary : Not available.

**Teratogenicity** 

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Chronic effects
 Carcinogenicity
 No known significant effects or critical hazards.
 Mutagenicity
 No known significant effects or critical hazards.
 Teratogenicity
 No known significant effects or critical hazards.
 Developmental effects
 No known significant effects or critical hazards.
 Fertility effects
 No known significant effects or critical hazards.

Over-exposure signs/symptoms

Inhalation: No specific data.Ingestion: No specific data.Skin: No specific data.Eyes: No specific data.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** : Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

# **Aquatic ecotoxicity**

Product/ingredient name Diethyl malonate	Test -	Result Acute LC50 17400 to 19500 ug/L Fresh water	Species Fish - Fathead minnow - Pimephales promelas - 28 days - 19.8 mm - 0.12 g	Exposure 96 hours
	-	Acute LC50 15600 ug/L Fresh water	Fish - Fathead minnow - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling) - 26 to 34 days	96 hours
		Acute LC50 15500 ug/L Fresh water	Fish - Fathead minnow - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling) - 26 to 34 days	96 hours
	*	Acute LC50 15400 to 16900 ug/L Fresh water	Fish - Fathead minnow - Pimephales	96 hours

Date of issue/Date of revision : 03/02/2010.

promelas - 33

# 12. ECOLOGICAL INFORMATION

days - 22 mm -

0.152 g

11800 to 13400 ug/L Fresh water

Acute LC50

Fish - Fathead

minnow -Pimephales

promelas - 28 days - 22 mm -

0.165 g

Acute LC50

Fish - Fathead

96 hours

96 hours

48 hours

4 days

96 hours

water

10800 ug/L Fresh minnow -Pimephales

promelas -

Juvenile (Fledgling, Hatchling,

Weanling) - 26 to

34 days

(R)-p-mentha-1,8-diene

Acute EC50

Daphnia - Water

69600 ug/L Fresh flea - Daphnia

pulex - Neonate -

<24 hours

Acute LC50

water

water

Fish - Rainbow

35000 ug/L Fresh trout,donaldson

trout -

Oncorhynchus

mykiss

Acute LC50 702 to 796 ug/L Fresh minnow -

Fish - Fathead

Pimephales promelas - 32 to 34 days - 21.8 mm - 0.177 g

Conclusion/Summary

: Not available.

Persistence/degradability

Conclusion/Summary : Not available.

Other adverse effects : No known significant effects or critical hazards.

**PBT** : Not applicable. **vPvB** Not applicable.

# 13. DISPOSAL CONSIDERATIONS

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

**Hazardous waste** 

: The classification of the product may meet the criteria for a hazardous waste.

#### TRANSPORT INFORMATION 14.

#### International transport regulations

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
ADR/RID Class	Not available.	Not available.	Not available.	•		
ADN/ADNR Class	Not available.	Not available.	Not available.	ži.		•
IMDG Class	Not available.	Not available.	Not available.	ni		

Date of issue/Date of revision : 03/02/2010.

# 14. TRANSPORT INFORMATION

IATA Class	Not	Not available.	Not	-	-
	available.		available.		

PG\*: Packing group

# 15. REGULATORY INFORMATION

Chemical Safety Assessment : This product contains substances for which Chemical Safety Assessments are still required.

**EU regulations** 

Classification and labeling have been determined according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and take into account the intended product use.

Risk phrases : R52/53- Harmful to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

Safety phrases : S24- Avoid contact with skin.

S37- Wear suitable gloves.

S46- If swallowed, seek medical advice immediately and show this container or label.

Product use : Professional applications.

**Europe inventory** : All components are listed or exempted.

Black List Chemicals : Not listed
Priority List Chemicals : Listed
Integrated pollution : Not listed

prevention and control list (IPPC) - Air

Integrated pollution prevention and control list

(IPPC) - Water

: Not listed

Prior Informed Consent. List of chemicals subject to the international PIC procedure (Part I, II, III)

Other EU regulations

Additional warning phrases : Contains (R)-p-mentha-1,8-diene, 2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde,

citral. May produce an allergic reaction.

International regulations

Chemical Weapons Convention: Not listed

List Schedule | Chemicals

Chemical Weapons Convention: Not listed

List Schedule II Chemicals

Chemical Weapons Convention: Not listed

List Schedule III Chemicals

# 16. OTHER INFORMATION

Full text of R-phrases referred to in sections 2 and 3 - United Kingdom (UK) : R10- Flammable.

R36- Irritating to eyes. R38- Irritating to skin.

R36/38- Irritating to eyes and skin.

R43- May cause sensitisation by skin contact.

R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

R52/53- Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Full text of classifications referred to in sections 2 and 3 - United Kingdom (UK)

Restrictions on use

: Xi - Irritant

N - Dangerous for the environment

Date of issue/Date of revision : 03/02/2010.

# 16. OTHER INFORMATION

Sector of Use Chemical Product Process Category Article Category

Category

None identified.

**History** 

Date of printing : 03/02/2010.

Date of issue/ Date of : 03/02/2010.

revision

Date of previous issue : No previous validation.

Version : 1

Prepared by : Not available.

Indicates information that has changed from previously issued version.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

### **Annex**