

BGC/45

ACCESSORIES

PRODUCT-NO.: 075115

Threaded immersion heater for sealed unvented heating and DHW heating systems. Infinitely variable temperature selection from around 10 °C to 80 °C. Temperature limit can be set to 45/60/80 °C. Integral temperature controller with high limit safety cut-out. Heating element and protective pipe material: Copper; threaded connection: Brass, thread G 1 1/2 with PTFE gasket.



The main features

Complete with threaded connectors G 1 1/2 for optional fitting through the thermal insulation

Suitable for use with DHW cylinders SBB (WP) basic and Trend

Suitable for use with SB, SBB and SBP cylinders up to 500 litres, with directly applied foam insulation



Type	BGC/45
Part no.	075115
Depth of insertion	455 mm

Technical data

Connected load with ~ 230 V	2-5.7 kW
Connected load with ~ 400 V	6 kW
Power supply	1/N/PE, 2/PE, 3/PE
Rated voltage	230/400 V
Frequency	50/60 Hz
IP-Rating	IP44
Max. permissible pressure	1 MPa

Contact information

Do you have additional questions? Then please do not hesitate to contact us, we would be only too happy to help:

Call 0151 346 2300

Or send an e-mail to

sales@stiebel-eltron.co.uk

Only a qualified contractor should carry out the installation, commissioning, maintenance and repair of this appliance. Where applicable and prior to installation the electricity and/or water utility companies should be notified of your intention to install the product.