



Do your employees often have to wait in line for the office kettle to boil? Well, this FilterFlow Automatic Wall Mounted Water Boiler provides hot water on tap 24/7, making tea round lethargy a thing of the past. Compact for limited spaces, the boiler comes with a built-in water filtration system which improves the water quality. And changing the high-volume cartridges is as easy as changing a lightbulb.

A/A FILE NUMBER:

#### PRODUCT OPTIONS AND ACCESSORIES

- DP10 DESCALER POWDER
- DR72 Drip Tray for FilterFlow WMB3F & WMB5F
- FC02 FILTER CARTRIDGE - 1 MICRON

#### PRODUCT FEATURES

- Exceptionally compact wall mounted design, perfect for locations with limited space
- High quality boiling water on tap 24 hours a day
- Built-in water filtration system improves water quality and reduces scale build-up
- Dispense temperature can be reduced to 70°C, perfect for delicate speciality teas
- High volume, easy change FilterFlow cartridge
- Allows extra room underneath the tap for larger cups, teapots, jugs and airpots to be filled
- Advanced diagnostics with LCD panel showing boiler status
- Cool-to-touch 6mm thick toughened glass fascia to withstand hard knocks

ITEM NUMBER:



# LINCAT FILTERFLOW WMB WALL MOUNTED AUTOMATIC FILL BOILER - WHITE GLASS - W 300 MM - 3.0 KW

## MODEL: WMB3F/W

### WEIGHTS & DIMENSIONS

Width	300 mil
Depth	184 mil
Height	413 mil
Weight	8.7 kg

### WATER, PLUMBING, AND DRAINAGE SPECS

Water Line Required	Yes
Water Connection Source Type	Water Main
Water Inlet Size	0.75 in
Water Inlet Pressure Minimum	1 Bar
Water Inlet Pressure Maximum	8 Bar
Drain Line Required	No

### ENERGY SPECS

Primary Energy Type	Electric
Electrical Total Amperage	13 A
Electrical Volts	230V
Electrical Total Wattage	3000 W
Electrical Kilowatts	3 kW
Electrical Phase	1-Phase

### SHIPPING DETAILS

Ship Width	48 cm
Ship Depth	38 cm
Ship Height	42 cm
Ship Weight	9.57 kg
Number of Shipment Parcels	1
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

### PRODUCT CERTIFICATIONS



Electrical Plug Type	UK 3-Pin Plug
Number of Electrical Plugs	1
Electrical Connection Type	Cord and Plug
Number of Electrical Conductor Wires	1
Dedicated Circuit Required	No
Electrical Remarks	Single





**LINCAT FILTERFLOW WMB WALL MOUNTED AUTOMATIC FILL  
BOILER - WHITE GLASS - W 300 MM - 3.0 KW**

**MODEL: WMB3F/W**

**ADDITIONAL SPECIFICATIONS**

Capacity Volume	3.5 l	Rapid Draw Off Hot	3.5 l
Construction Materials	Stainless Steel	Rapid Draw Off Hot Cups	23 C
Control Type	Electronic	Ventless Cooking Technology	No
Hourly Hot Water Output	31 l	Temperature Maximum	96 °C
Hourly Number of Hot Cups	205	Temperature Minimum	70 °C

**BIDDING SPECIFICATIONS**

Bidding Specifications Not Available.



#### TECHNICAL DRAWING

